




Compact Spinning Modules



<u>Rotor Size</u> mm	<u>Module OD</u> mm	<u>Min/Max</u> Speed kHz	<u>Material</u>
1.6	19	5/40	Kel-f or Vespel
2.0	19	5/35	Kel-f or Vespel
3.2	22.2	3/25	Kel-f or Vespel
4.0	22.2	1/18	Kel-f or Vespel
4.0 NB	22.2	1/18	Kel-f or Vespel
5.0	22.2	1/12	Kel-f or Vespel
5.0 NB	22.2	1/12	Kel-f or Vespel
6.0	22.2	1/8	Kel-f or Vespel
6.0 NB	22.2	1/8	Kel-f or Vespel
7.0	22.2	1/8	Kel-f or Vespel
7.5	38.1	1/7	Kel-f or Vespel
9.5	38.1	1/5	Kel-f or Vespel
14	38.1	.5/3.5	Kel-f or Vespel

- **Adaptable to narrow bore probes (2mm – 6mm modules)**
- **Easy coil removal and replacement**
- **Custom coils available**
- **Custom sample sleeves and caps available in a wide range of materials and configurations**
- **Full VT range (3.2mm – 14mm modules)**
- **Compatible with Revolution™ sample and rotor handling tools for rapid, safe sample preparation and handling**
- **Service and repair parts available**

Please contact us for further information and quotations